



ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_



UNIÃO DUPLA

Código	D1	D2	L1	L2	S ₁	S ₂	PN	Série
FX103.6	6	4	39	10	12	14	315	L
FX103.7	8	6	40	11	14	17	315	
FX103.8	10	8	42	13	17	19	315	
FX103.9	12	10	43	14	19	22	315	
FX103.10	15	12	46	16	24	27	315	
FX103.11	18	15	48	16	27	32	315	
FX103.12	22	19	52	20	32	36	160	
FX103.13	28	24	54	21	41	41	160	
FX103.14	35	30	63	20	46	50	160	
FX103.15	42	36	66	21	55	60	160	
FX103.16	6	4	45	16	14	17	630	S
FX103.17	8	5	47	18	17	19	630	
FX103.18	10	7	49	27	19	22	630	
FX103.19	12	8	51	19	22	24	630	
FX103.20	14	10	57	22	24	27	630	
FX103.21	16	12	57	21	27	30	400	
FX103.22	20	16	66	23	32	36	400	
FX103.23	25	20	74	26	41	46	400	
FX103.24	30	25	80	27	46	50	400	
FX103.25	38	32	90	29	55	60	315	




JOELHO DUPLO

Código	D1	D2	L1	L2	S ₁	S ₂	PN	Série
FX112.64	6	4	27	12	12	14	315	L
FX112.86	8	6	29	14	12	17	315	
FX112.108	10	8	30	15	14	19	315	
FX112.1210	12	10	32	17	17	22	315	
FX112.1512	15	12	36	21	19	27	315	
FX112.1815	18	15	40	24	24	32	315	
FX112.2219	22	19	44	28	27	36	160	
FX112.2824	28	24	47	31	36	41	160	
FX112.3530	35	30	56	35	41	50	160	
FX112.4236	42	36	63	40	50	60	160	
FX112.64	6	4	31	16	12	17	630	S
FX112.85	8	5	32	17	14	19	630	
FX112.107	10	7	34	18	17	22	630	
FX112.128	12	8	38	22	17	24	630	
FX112.1410	14	10	40	22	19	27	400	
FX112.1612	16	12	43	25	24	30	400	
FX112.2016	20	16	48	27	27	36	400	
FX112.2520	25	20	54	30	26	46	400	
FX112.3025	30	25	62	36	41	50	400	
FX112.3832	38	32	72	41	50	60	315	


ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_



TÊ IGUAL

Código	D1	D2	L1	L2	S ₁	S ₂	PN	Série
FX114.64	6	4	38	12	12	14	315	L
FX114.86	8	6	42	14	12	17	315	
FX114.108	10	8	44	15	14	19	315	
FX114.1210	12	10	48	17	17	22	315	
FX114.1512	15	12	56	21	19	27	315	
FX114.1815	18	15	62	24	24	32	315	
FX114.2219	22	19	70	28	27	36	160	
FX114.2824	28	24	76	31	36	41	160	
FX114.3530	35	30	90	35	41	50	160	
FX114.4236	42	36	102	40	50	60	160	
FX114.64	6	4	46	16	12	17	630	S
FX114.85	8	5	48	17	14	19	630	
FX114.107	10	7	50	18	17	22	630	
FX114.128	12	8	58	22	17	24	630	
FX114.1410	14	10	60	22	19	27	400	
FX114.1612	16	12	66	25	24	30	400	
FX114.2016	20	16	64	27	27	36	400	
FX114.2520	25	20	84	30	36	46	400	
FX114.3025	30	25	98	36	41	50	400	
FX114.3832	38	32	114	41	50	60	315	




CRUZETA

Código	D1	D2	L2	L ₂	S ₂	S ₁	PN	Série
FX180.64	6	4	12	27	14	12	315	L
FX180.86	8	6	14	29	17	12	315	
FX180.108	10	8	15	30	19	14	315	
FX180.1210	12	10	17	32	22	17	315	
FX180.1512	15	12	21	36	27	19	315	
FX180.1815	18	15	23,5	40	32	24	315	
FX180.2219	22	19	27,5	44	36	27	160	
FX180.2824	28	24	30,5	47	41	36	160	
FX180.3530	35	30	34,5	56	50	41	160	
FX180.4236	42	36	40	63	60	50	160	
FX180.64	6	4	16	31	17	12	630	S
FX180.85	8	5	17	32	19	14	630	
FX180.107	10	7	17,5	34	22	17	630	
FX180.128	12	8	21,5	38	24	17	630	
FX180.1410	14	10	22	40	27	19	630	
FX180.1612	16	12	24,5	43	30	24	400	
FX180.2016	20	16	26,5	48	36	27	400	
FX180.2520	25	20	30	54	46	36	400	
FX180.3025	30	25	35,5	62	50	41	400	
FX180.3832	38	32	41	72	60	50	315	

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_



UNIÃO MACHO (Rosca BSPP cilíndrica DIN / ISO 228-1)


Código	D1 x T	D2	L1	L2	i	S ₁	S ₂	PN	Série
FX100CI.016	6 x 1/8"	4	31	8,5	8	14	14	315	L
FX100CI.026	6 x 1/4"	4	37	10	12	19	14	315	
FX100CI.036	6 x 3/8"	4	38	11,5	12	22	14	315	
FX100CI.046	6 x 1/2"	4	31	12	14	27	14	315	
FX100CI.018	8 x 1/8"	4	31	9,5	8	14	17	315	
FX100CI.028	8 x 1/4"	4	37	10	12	19	17	315	
FX100CI.038	8 x 3/8"	6	38	10	12	22	17	315	
FX100CI.048	8 x 1/2"	6	41	12	14	27	17	315	
FX100CI.058	8 x 3/4"	6	47	13	18	32	17	315	
FX100CI.0110	10 x 1/8"	6	33	10,5	8	17	19	315	
FX100CI.0210	10 x 1/4"	4	38	11	12	19	19	315	
FX100CI.0310	10 x 3/8"	6	39	12,5	12	22	19	315	
FX100CI.0410	10 x 1/2"	8	42	13	14	27	19	315	
FX100CI.0510	10 x 3/4"	8	45,5	14,5	16	32	19	315	
FX100CI.0112	12 x 1/8"	8	34	12,5	8	19	22	315	
FX100CI.0212	12 x 1/4"	6	39	12	12	19	22	315	
FX100CI.0312	12 x 3/8"	9	39	12,5	12	22	22	315	
FX100CI.0412	12 x 1/2"	10	42	13	14	27	22	315	
FX100CI.0512	12 x 3/4"	10	45	14	16	32	22	315	
FX100CI.0115	15 x 1/8"	4	40	14	8	24	27	250	
FX100CI.0215	15 x 1/4"	6	44	14	12	24	27	250	
FX100CI.0315	15 x 3/8"	9	43	13,5	12	24	27	250	
FX100CI.0415	15 x 1/2"	11	43	14	14	27	27	250	
FX100CI.0515	15 x 3/4"	12	48,5	16	16	32	27	250	
FX100CI.0615	15 x 1"	12	50,5	16	18	41	27	250	
FX100CI.0118	18 x 1/8"	4	37,5	14,5	8	27	32	250	
FX100CI.0218	18 x 1/4"	6	41,5	14,5	12	27	32	250	
FX100CI.0318	18 x 3/8"	9	41,5	14,5	12	27	32	250	
FX100CI.0418	18 x 1/2"	14	45	14,5	14	27	32	250	
FX100CI.0518	18 x 3/4"	15	46	14,5	16	32	32	250	
FX100CI.0618	18 x 1"	15	57	14,5	18	41	32	250	
FX100CI.0322	22 x 3/8"	9	45	16,5	12	32	36	160	
FX100CI.0422	22 x 1/2"	14	47	16,5	14	32	36	160	
FX100CI.0522	22 x 3/4"	18	49	16,5	16	32	36	160	
FX100CI.0622	22 x 1"	19	51,5	17,5	18	41	36	160	
FX100CI.0722	22 x 1 1/4"	19	53,5	17,5	20	50	36	160	
FX100CI.0428	28 x 1/2"	14	48	17,5	14	41	41	160	
FX100CI.0528	28 x 3/4"	18	50	17,5	16	41	41	160	
FX100CI.0628	28 x 1"	23	53	17,5	18	41	41	160	
FX100CI.0728	28 x 1 1/4"	24	55	17,5	20	50	41	160	
FX100CI.0828	28 x 1 1/2"	24	60	20,5	22	55	41	160	
FX100CI.0435	35 x 1/2"	14	53	17,5	14	46	50	160	
FX100CI.0528	35 x 3/4"	18	55	17,5	16	46	50	160	
FX100CI.0635	35 x 1"	23	57	17,5	18	46	50	160	
FX100CI.0735	35 x 1 1/4"	30	59	17,5	20	50	50	160	
FX100CI.0835	35 x 1 1/2"	30	63	19,5	22	55	50	160	
FX100CI.0642	42 x 1"	23	60	19	18	55	60	160	
FX100CI.0742	42 x 1 1/4"	30	62	19	20	55	60	160	
FX100CI.0842	42 x 1 1/2"	36	69	19	22	55	60	160	

continua...

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_

continuação...




UNIÃO MACHO (Rosca BSPP cilíndrica DIN / ISO 228-1)

Código	D1 x T	D2	L1	L2	i	S ₁	S ₂	PN	Série
FX100CI.016	6 x 1/8"	3	35	12,5	8	17	17	630	S
FX100CI.026	6 x 1/4"	4	40	13	12	19	17	630	
FX100CI.036	6 x 3/8"	4	42	15,5	12	22	17	630	
FX100CI.046	6 x 1/2"	4	47	18	14	27	17	630	
FX100CI.056	6 x 3/4"	4	51	20	16	32	17	630	
FX100CI.028	8 x 1/4"	5	42	15	12	19	19	630	
FX100CI.038	8 x 3/8"	5	42	15,5	12	22	19	630	
FX100CI.048	8 x 1/2"	5	47	18	14	27	19	630	
FX100CI.0110	10 x 1/8"	3	39	14	8	19	22	630	
FX100CI.0210	10 x 1/4"	5	43	14,5	12	19	22	630	
FX100CI.0310	10 x 3/8"	7	43	15	12	22	22	630	
FX100CI.0410	10 x 1/2"	7	48	17,5	14	27	22	630	
FX100CI.0510	10 x 3/4"	7	51	17,5	16	32	22	630	
FX100CI.0212	12 x 1/4"	5	45	16,5	12	22	24	630	
FX100CI.0312	12 x 3/8"	8	45	17	12	22	24	630	
FX100CI.0412	12 x 1/2"	8	48	17,5	14	27	24	630	
FX100CI.0512	12 x 3/4"	8	51	17,5	16	32	24	630	
FX100CI.0214	14 x 1/4"	5	47	16	12	22	27	630	
FX100CI.0314	14 x 3/8"	8	48	18,5	12	22	27	630	
FX100CI.0414	14 x 1/2"	10	51	19	14	27	27	630	
FX100CI.0514	14 x 3/4"	10	56	21	16	32	27	630	
FX100CI.0614	14 x 1"	10	60	23	18	41	27	630	
FX100CI.0216	16 x 1/4"	5	46	18	12	24	30	400	
FX100CI.0316	16 x 3/8"	8	50	18	14	27	30	400	
FX100CI.0416	16 x 1/2"	12	53	18,5	16	27	30	400	
FX100CI.0516	16 x 3/4"	12	57	20,5	18	32	30	400	
FX100CI.0220	20 x 1/4"	5	52	20,5	12	32	36	400	
FX100CI.0320	20 x 3/8"	8	52	20,5	12	32	36	400	
FX100CI.0420	20 x 1/2"	12	56	20,5	14	32	36	400	
FX100CI.0520	20 x 3/4"	16	58	20,5	16	32	36	400	
FX100CI.0620	20 x 1"	16	62	22,5	18	41	36	400	
FX100CI.0720	20 1 1/4"	16	68	22,5	20	50	36	400	
FX100CI.0820	20 x 1 1/2"	16	62	25,5	22	55	36	400	
FX100CI.0425	25 x 1/2"	12	56	23	14	41	46	400	
FX100CI.0525	25 x 3/4"	16	60	23	16	41	46	400	
FX100CI.0625	25 x 1"	20	64	23	18	41	46	400	
FX100CI.0725	25 x 1 1/4"	20	68	23	20	50	46	400	
FX100CI.0725	25 x 1 1/2"	20	62	26	22	55	46	400	
FX100CI.0430	30 x 1/2"	12	60	23,5	14	46	50	400	
FX100CI.0630	30 x 1"	20	68	23,5	18	46	50	400	
FX100CI.0730	30 x 1 1/4"	25	70	23,5	20	50	50	400	
FX100CI.0830	30 x 1 1/2"	25	74	26,5	22	55	50	400	
FX100CI.0538	38 x 3/4"	16	69	26	16	55	60	315	
FX100CI.0638	38 x 1"	20	73	26	18	55	60	315	
FX100CI.0738	38 x 1 1/4"	25	77	26	20	55	60	315	
FX100CI.0838	38 x 1 1/2"	32	79	26	22	55	60	315	

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_



UNIÃO MACHO (Rosca BSP cônica DIN 3858)


Código	D1 x T	D2	L1	L2	i	S1	S2	PN	Série
FX100.016	6 x 1/8"	4	38	15	8	12	14	315	L
FX100.026	6 x 1/4"	4	47	20	12	17	14	315	
FX100.036	6 x 3/8"	4	50	21	12	19	14	315	
FX100.046	6 x 1/2"	4	54	23	14	22	14	315	
FX100.018	8 x 1/8"	4	39	16	8	17	17	315	
FX100.028	8 x 1/4"	6	47	20	12	17	17	315	
FX100.038	8 x 3/8"	6	50	21	12	19	17	315	
FX100.048	8 x 1/2"	6	54	23	14	24	17	315	
FX100.0110	10 x 1/8"	4	42	17	8	17	19	315	
FX100.0210	10 x 1/4"	7	48	21	12	17	19	315	
FX100.0310	10 x 3/8"	8	50	21	12	19	19	315	
FX100.0410	10 x 1/2"	8	54	23	14	22	19	315	
FX100.0112	12 x 1/8"	4	43	18	8	19	22	315	
FX100.0212	12 x 1/4"	7	49	22	12	19	22	315	
FX100.0312	12 x 3/8"	9	49	22	12	19	22	315	
FX100.0412	12 x 1/2"	10	53	24	14	24	22	315	
FX100.0512	12 x 3/4"	10	63	28	17	27	22	315	
FX100.0215	15 x 1/4"	7	53	23	12	24	27	315	
FX100.0315	15 x 3/8"	9	50	23	12	24	27	315	
FX100.0415	15 x 1/2"	12	54	25	14	24	27	315	
FX100.0515	15 x 3/4"	12	64	29	17	27	27	315	
FX100.0318	18 x 3/8"	9	54	23,5	12	27	32	315	
FX100.0418	18 x 1/2"	15	56	25,5	14	27	32	315	
FX100.0518	18 x 3/4"	14	64	28,5	17	27	32	315	
FX100.0322	22 x 3/8"	9	58	25,5	12	32	36	160	
FX100.0422	22 x 1/2"	15	60	25,5	14	32	36	160	
FX100.0522	22 x 3/4"	17	62	29,5	16	32	36	160	
FX100.0622	22 x 1"	19	68	31,5	18	32	36	160	
FX100.0428	28 x 1/2"	15	64	31,5	14	41	41	160	
FX100.0528	28 x 3/4"	19	65	30,5	16	41	41	160	
FX100.0628	28 x 1"	20	67	32,5	18	41	41	160	
FX100.0728	28 x 1 1/4"	24	69	30,5	20	46	41	160	
FX100.0635	35 x 1"	20	69	27,5	18	46	50	160	
FX100.0735	35 x 1 1/4"	24	76	34,5	20	46	50	160	
FX100.0835	35 x 1 1/2"	30	78	34	22	50	50	160	
FX100.0742	42 x 1 1/4"	30	75	31	20	55	60	160	
FX100.0842	42 x 1 1/2"	36	83	38	22	55	60	160	
FX100.016	6 x 1/8"	4	33	19	8	17	17	400	S
FX100.026	6 x 1/4"	4	33	20,5	12	17	17	400	
FX100.036	6 x 3/8"	4	34	21,5	12	17	17	400	
FX100.018	8 x 1/8"	4	34	20	8	17	19	400	
FX100.028	8 x 1/4"	5	34	21,5	12	17	19	400	
FX100.038	8 x 3/8"	5	34	21,5	12	19	19	400	
FX100.0210	10 x 1/4"	5	36	21,5	12	19	22	400	
FX100.0310	10 x 3/8"	7	36	21,5	12	19	22	400	
FX100.0410	10 x 1/2"	7	39	25,5	14	24	30	400	
FX100.0212	12 x 1/4"	5	40	26	12	22	24	400	
FX100.0312	12 x 3/8"	8	40	26	12	22	24	400	
FX100.0412	12 x 1/2"	8	40	26,5	14	22	24	400	

continua...

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_


(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_

continuação...



UNIÃO MACHO (Rosca BSP cônica DIN 3858)

Código	D1 x T	D2	L1	L2	i	S1	S2	PN	Série
FX100.0314	14 x 3/8"	8	42	26,5	12	24	27	400	S
FX100.0414	14 x 1/2"	10	42	27	14	24	27	400	
FX100.0316	16 x 3/8"	8	45	29	12	27	30	160	
FX100.0416	16 x 1/2"	12	45	29,5	14	27	30	160	
FX100.0516	16 x 3/4"	12	45	30,5	16	27	30	160	
FX100.0420	20 x 1/2"	12	52	31,5	14	32	36	160	
FX100.0520	20 x 3/4"	16	52	32,5	16	32	36	160	
FX100.0525	25 x 3/4"	16	57	36	16	41	46	160	
FX100.0625	25 x 1"	20	59	37	18	41	46	160	
FX100.0730	30 x 1 1/4"	25	63	43	20	46	50	160	
FX100.0838	38 x 1 1/2"	25	81	49	22	55	60	160	




JOELHO MACHO (Rosca BSP cônica DIN 3858)

Código	D1 x T	D2	D3	L1	L2	L3	i	S1	S2	PN	Série
FX107.016	6 x 1/8"	4	4	27	12	20	8	12	14	315	L
FX107.026	6 x 1/4"	4	6	29	14	26	12	12	14	315	
FX107.018	8 x 1/8"	6	4	29	14	26	8	12	17	315	
FX107.028	8 x 1/4"	6	6	29	14	26	12	12	17	315	
FX107.038	8 x 3/8"	6	9	32	17	28	12	17	17	315	
FX107.0210	10 x 1/4"	8	7	30	15	27	12	14	19	315	
FX107.0310	10 x 3/8"	8	9	32	17	28	12	17	19	315	
FX107.0212	12 x 1/4"	10	7	32	17	27	12	17	22	315	
FX107.0312	12 x 3/8"	10	9	32	17	28	12	17	22	315	
FX107.0412	12 x 1/2"	10	11	36	21	34	14	19	22	315	
FX107.0415	15 x 1/2"	12	11	36	21	34	14	19	27	315	S
FX107.0418	18 x 1/2"	15	14	40	23,5	36	14	24	32	315	
FX107.026	6 x 1/4"	4	4	31	16	26	14	12	17	400	
FX107.038	6 x 3/8"	4	7	33	18	28	12	17	17	400	
FX107.028	8 x 1/4"	5	5	22	17	22	12	14	19	400	
FX107.038	8 x 3/8"	5	7	33	18	28	12	17	19	400	
FX107.0210	10 x 1/4"	7	5	34	17,5	28	12	17	22	400	
FX107.0310	10 x 3/8"	7	7	34	17,5	28	12	17	22	400	
FX107.0410	10 x 1/2"	7	10	39	22,5	32	14	19	22	400	
FX107.0312	12 x 3/8"	8	8	38	21,5	28	12	17	24	400	
FX107.0412	12 x 1/2"	8	11	39	22,5	32	14	19	24	400	
FX107.0414	14 x 1/2"	10	10	40	22	32	14	19	27	400	
FX107.0416	16 x 1/2"	12	12	43	24,5	32	14	24	30	400	

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_


(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_

TÊ MACHO CENTRO (Rosca BSP cônica DIN 3858)




Código	D1 x T	D2	D3	L1	L2	L3	i	S1	S2	PN	Série
FX119.016	6 x 1/8"	4	4	27	12	20	8	12	14	315	L
FX119.028	8 x 1/4"	6	6	29	14	26	12	12	17	315	
FX119.0210	10 x 1/4"	8	7	30	15	27	12	14	19	315	
FX119.0312	12 x 3/8"	10	9	32	17	28	12	17	22	315	
FX119.0415	15 x 1/2"	12	11	36	21	34	14	19	27	315	
FX119.0418	18 x 1/2"	15	14	40	23,5	36	12	24	32	315	
FX119.016	6 x 1/4"	4	4	31	16	26	12	12	17	315	S
FX119.028	8 x 1/4"	5	5	32	17	27	12	12	19	315	
FX119.0310	10 x 3/8"	7	7	34	17,5	28	12	17	22	400	
FX119.0312	12 x 3/8"	8	8	38	21,5	28	14	17	24	400	
FX119.0414	14 x 1/2"	10	10	40	22	32	14	19	27	400	
FX119.0416	16 x 1/2"	12	12	43	24,5	32	25	24	30	400	

TÊ MACHO CENTRO (Rosca BSPP cilíndrica DIN / ISO 228-1)



Código	D1 x T	D2	D3	L1	L2	L3	i	S1	S2	PN	Série
FX119CI.0522	22 x 3/4"	19	18	44	27,5	26	16	27	36	160	L
FX119CI.0628	28 x 1"	24	23	47	30,5	30	18	36	41	160	
FX119CI.0735	35 x 1 1/4"	30	30	56	34,5	34	20	41	50	160	
FX119CI.0842	42 x 1 1/2"	36	36	63	40	39	22	50	60	160	
FX119CI.0520	20 x 3/4"	16	16	48	26,5	26	16	27	36	400	S
FX119CI.0625	25 x 1"	20	20	54	30	30	18	36	46	250	
FX119CI.0730	30 x 1 1/4"	25	25	62	25,5	34	20	41	50	160	
FX119CI.0838	38 x 1 1/2"	32	32	72	41	39	22	50	60	160	

TÊ MACHO EXTREMO (Rosca BSP cônica DIN 3858)




Código	D1 x T	D2	D3	L1	L2	L3	i	S1	S2	PN	Série
FX120.026	6 x 1/8"	4	4	27	12	20	8	12	14	315	L
FX120.028	8 x 1/4"	6	6	29	14	26	12	12	17	315	
FX120.0210	10 x 1/4"	8	7	30	15	27	12	14	19	315	
FX120.0312	12 x 3/8"	10	9	32	17	28	12	17	22	315	
FX120.0415	15 x 1/2"	12	11	36	21	34	14	19	27	315	
FX120.0418	18 x 1/2"	15	14	40	23,5	36	14	24	32	315	
FX120.026	6 x 1/4"	4	4	31	16	26	12	12	17	400	S
FX120.0218	8 x 1/4"	5	5	32	17	27	12	14	19	400	
FX120.0310	10 x 3/8"	7	7	34	17,5	28	12	17	22	400	
FX120.0312	12 x 3/8"	8	8	38	21,5	28	12	17	24	400	
FX120.0414	14 x 1/2"	10	10	40	22	32	14	19	27	400	
FX120.0416	16 x 1/2"	12	12	43	24,5	32	14	24	30	400	

(continua ...)

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_



TÊ MACHO EXTREMO (Rosca BSPP cilíndrica DIN / ISO 228-1)

Código	D1 x T	D2	D3	L1	L2	L3	i	S1	S2	PN	Série
FX120.0522	22 x 3/4"	19	18	44	27,5	26	16	27	36	160	S
FX120.0628	28 x 1"	24	23	47	30,5	30	18	36	41	160	
FX120.0735	35 x 1 1/4"	30	30	56	34,5	34	20	41	50	160	
FX120.0842	42 x 1 1/2"	36	36	63	40	39	22	50	60	160	
FX120.0520	20 x 3/4"	16	16	48	26,5	26	16	27	36	400	L
FX120.0625	25 x 1"	20	20	54	30	30	18	36	46	250	
FX120.0422	30 x 1 1/4"	25	25	62	35,5	34	20	41	50	160	
FX120.0838	38 x 1 1/2"	32	32	72	41	39	22	50	60	160	




UNIÃO M ADAPTÁVEL (Rosca BSPP cilíndrica DIN / ISO 228-1)

Código	D1 x T	D2	L1	i	S1	S2	PN	Série
FX100A.016	6 x 1/8"	3,3	25	8	14	14	215	L
FX100A.028	8 x 1/4"	5	30	12	19	17	315	
FX100A.0110	10 x 1/4"	6,5	28	12	19	19	315	
FX100A.0212	12 x 1/4"	8	29	12	19	22	315	
FX100A.0312	12 x 3/8"	8	34	12	22	22	315	
FX100A.0412	12 x 1/2"	8	35	14	27	22	315	
FX100A.0415	15 x 1/2"	10	31	14	27	27	315	
FX100A.0418	18 x 1/2"	13	32	14	27	32	315	
FX100A.0522	22 x 3/4"	16,5	33	16	32	36	160	
FX100A.0628	28 x 1"	22	35	18	41	41	160	
FX100A.0735	35 x 1 1/4"	28	43	20	50	50	160	
FX100A.0842	42 x 1 1/2"	34	47	22	55	60	160	
FX100A.026	6 x 1/4"	3,3	27	12	19	17	630	S
FX100A.028	8 x 1/4"	4,3	30	12	19	19	630	
FX100A.0310	10 x 3/8"	6	32	12	22	22	630	
FX100A.0312	12 x 3/8"	7,3	34	12	22	24	630	
FX100A.0412	12 x 1/2"	7,3	35	14	27	24	630	
FX100A.0414	14 x 1/2"	9	37	14	27	27	630	
FX100A.0416	16 x 1/2"	10,5	37	14	27	30	400	
FX100A.0516	16 x 3/4"	10,5	39	16	32	30	400	
FX100A.0520	20 x 3/4"	13,5	43	16	32	36	400	
FX100A.0625	25 x 1"	17,5	48	18	41	46	400	
FX100A.0730	30 x 1 1/4"	22	51	20	50	50	315	
FX100A.0838	38 x 1 1/2"	28,5	60	22	55	60	55	


ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_



JOELHO ADAPTÁVEL

Código	D1	D2	L1	L2	L3	S1	S2	PN	Série
FX112A.64	6	4	27	12	26	12	14	315	L
FX112A.86	8	6	29	14	28	12	17	315	
FX112A.108	10	8	30	15	29	14	19	315	
FX112A.1210	12	10	32	17	30	17	22	315	
FX112A.1512	15	12	36	21	33	19	27	315	
FX112A.1815	18	15	40	24	36	24	32	315	
FX112A.2219	22	19	44	28	39	27	36	160	
FX112A.2824	28	24	47	31	42	36	41	160	
FX112A.3530	35	30	56	35	51	41	50	160	
FX112A.4236	42	36	63	40	60	50	60	160	
FX112A.64	6	4	31	16	27	12	17	630	S
FX112A.85	8	5	32	17	28	14	19	630	
FX112A.107	10	7	34	18	31	17	22	630	
FX112A.128	12	8	38	22	31	17	24	630	
FX112A.1410	14	10	40	22	35	19	27	400	
FX112A.1612	16	12	43	25	38	24	30	400	
FX112A.2016	20	16	48	27	45	27	36	400	
FX112A.2520	25	20	54	30	50	36	46	400	
FX112A.3025	30	25	62	36	55	41	50	400	
FX112A.3832	38	32	72	41	67	50	60	315	




PASSAMUROS TUBO-TUBO

Código	D1	D2	L1	L2	L3	L4	S1	S2	S3	PN	Série
FX104.64	6	4	22	7	42	27	17	17	14	315	L
FX104.86	8	6	23	8	42	27	19	19	17	315	
FX104.108	10	8	25	10	43	28	22	22	19	315	
FX104.1210	12	10	25	10	44	29	24	24	22	315	
FX104.1512	15	12	27	12	46	31	27	27	27	315	
FX104.1815	18	15	30	13,5	49	33	32	32	32	315	
FX104.2219	22	19	33	16,5	51	35	36	36	36	160	
FX104.2824	28	24	35	18,5	52	36	41	41	41	160	
FX104.3530	35	30	37	18,5	58	37	50	50	50	160	
FX104.4236	42	36	42	19	59	36	60	60	60	160	
FX104.64	6	4	27	12	44	29	19	19	17	630	S
FX104.85	8	5	28	13	44	29	22	22	19	630	
FX104.107	10	7	31	14,5	46	30	24	24	22	630	
FX104.128	12	8	31	14,5	47	31	27	27	24	630	
FX104.1410	14	10	35	17	50	32	30	30	27	630	
FX104.1612	16	12	35	16,5	50	32	32	32	30	400	
FX104.2016	20	16	39	17,5	55	34	41	41	36	400	
FX104.2520	25	20	44	20	59	35	46	46	46	400	
FX104.3025	30	25	48	21,5	64	38	50	50	50	400	
FX104.3832	38	32	53	22	68	37	65	65	60	315	


ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_



PASSAMUROS SOLDAR TUBO-TUBO

Código	D1	D2	D3	L1	L2	L3	S1	PN	Série
FX104PS.64	6	4	18	85	56	50	14	250	L
FX104PS.86	8	6	20	85	56	50	17	250	
FX104PS.108	10	8	22	87	58	50	19	250	
FX104PS.1210	12	10	25	87	58	50	22	250	
FX104PS.1512	15	12	28	100	70	60	27	250	
FX104PS.1815	18	15	32	101	69	60	32	160	
FX104PS.2219	22	19	36	105	73	60	36	160	
FX104PS.2824	28	24	40	106	73	60	41	100	
FX104PS.35x30	35	30	50	114	71	60	50	100	
FX104PS.42x36	42	36	60	115	70	60	60	100	
FX104PS.6x4	6	4	20	89	60	50	17	630	S
FX104PS.8x5	8	5	22	89	60	50	19	630	
FX104PS.10x7	10	7	25	91	59	50	22	630	
FX104PS.12x8	12	8	28	91	59	50	24	630	
FX104PS.14x10	14	10	30	107	72	60	27	630	
FX104PS.16x12	16	12	35	107	71	60	30	400	
FX104PS.20x16	20	16	38	114	71	60	36	400	
FX104PS.25x20	25	20	45	120	72	60	46	400	
FX104PS.30x25	30	25	50	126	73	60	50	250	
FX104PS.38x32	38	32	60	133	72	60	60	250	




JOELHO PASSAMUROS

Código	D1	D2	D3	L1	L2	L3	L4	L5	S1	S2	S3	PN	Série
FX107PM.64	6	4	17	27	12	42	14	27	12	17	14	315	L
FX107PM.86	8	6	19	29	14	42	17	27	12	19	17	315	
FX107PM.108	10	8	22	30	15	43	18	28	14	22	19	315	
FX107PM.1210	12	10	24	32	17	44	20	29	17	24	22	315	
FX107PM.1512	15	12	27	36	21	46	23	31	19	30	27	315	
FX107PM.1815	18	15	32	40	23,5	49	24	33	24	36	32	315	
FX107PM.2219	22	19	36	44	27,5	51	30	35	27	41	36	160	
FX107PM.2824	28	24	42	47	30,5	52	34	36	36	46	41	160	
FX107PM.3530	35	30	50	56	34,5	58	39	37	41	55	50	160	
FX107PM.4236	42	36	60	63	40	59	43	36	50	65	60	160	
FX107PM.64	6	4	19	31	16	44	17	29	12	19	17	630	S
FX107PM.85	8	5	22	32	17	44	18	29	14	22	19	630	
FX107PM.107	10	7	24	34	17,5	46	20	30	17	24	22	630	
FX107PM.128	12	8	27	38	21,5	47	21	31	17	27	24	630	
FX107PM.1410	14	10	27	40	22	50	23	32	19	30	27	630	
FX107PM.1612	16	12	30	43	24,5	50	24	32	24	32	30	400	
FX107PM.2016	20	16	36	48	26,5	55	30	34	27	41	36	400	
FX107PM.2520	25	20	42	54	30	59	34	35	36	46	46	400	
FX107PM.3025	30	25	50	62	35,5	64	39	38	41	50	50	400	
FX107PM.3832	38	32	60	72	41	68	43	37	50	65	60	315	

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_




UNIÃO PARA SOLDAR

Código	D1	D2	D3	L1	L2	S1	S2	PN	Série
FX103S.64	6	4	10	29	14	12	14	315	L
FX103S.86	8	6	12	31	16	14	17	315	
FX103S.108	10	8	14	33	18	17	19	315	
FX103S.1210	12	10	16	33	18	19	22	315	
FX103S.1512	15	12	19	37	22	22	27	315	
FX103S.1815	18	15	22	40	24	27	32	315	
FX103S.2219	22	19	27	45	29	32	36	160	
FX103S.2824	28	24	32	47	31	41	41	160	
FX103S.3530	35	30	40	54	33	46	50	160	
FX103S.4236	42	36	46	58	35	55	60	160	
FX103S.64	6	4	10	34	19	14	17	630	S
FX103S.85	8	5	13	36	21	17	19	630	
FX103S.107	10	7	15	39	23	19	22	630	
FX103S.128	12	8	17	41	25	22	24	630	
FX103S.1410	14	10	19	45	27	24	27	630	
FX103S.1612	16	12	21	45	27	27	30	400	
FX103S.2016	20	16	26	51	3	32	36	400	
FX103S.2520	25	20	31	56	32	41	46	400	
FX103S.3025	30	25	36	62	36	46	50	400	
FX103S.3832	38	32	44	69	38	55	60	315	


UNIÃO MACHO FÊMEA

Código	T1	T2	D2	L1	L2	i	S1	PN
FX246.0102	1/8"	1/4"	4	31	17	8	19	630
FX246.0103	1/8"	3/8"	4	32	17	8	24	630
FX246.0104	1/8"	1/2"	4	28	13	8	27	630
FX246.0202	1/4"	1/4"	5	36	17	12	19	630
FX246.0203	1/4"	3/8"	5	36	17	12	24	630
FX246.0204	1/4"	1/2"	5	40	20	12	30	630
FX246.0205	1/4"	3/4"	5	43	22	12	36	400
FX246.0303	3/8"	3/8"	8	38	17	12	24	630
FX246.0304	3/8"	1/2"	8	41	20	12	30	630
FX246.0305	3/8"	3/4"	8	44	22	12	36	400
FX246.0405	1/2"	3/4"	12	46	22	14	36	400
FX246.0406	1/2"	1"	12	49	24,5	14	41	400
FX246.0407	1/2"	1 1/4"	12	53	26,5	14	55	400
FX246.0506	3/4"	1"	16	51	24,5	16	41	400
FX246.0507	3/4"	1 1/4"	16	51	26,5	16	55	250
FX246.0508	3/4"	1 1/2"	16	57	28,5	16	60	250
FX246.0607	1"	1 1/4"	20	57	26,5	18	55	250
FX246.0608	1"	1 1/2"	20	59	28,5	18	60	250
FX246.0708	1 1/4"	1 1/2"	25	60	28,5	20	60	250



ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_




JOELHO PARA SOLDAR

Código	D1	D2	D3	L1	L2	L3	S1	S2	PN	Série
FX107S.64	6	4	10	27	12	19	12	14	315	L
FX107S.86	8	6	12	29	14	23	12	17	315	
FX107S.108	10	8	14	30	15	24	14	19	315	
FX107S.1210	12	10	16	32	17	25	17	22	315	
FX107S.1512	15	12	19	36	21	30	19	27	315	
FX107S.1815	18	15	22	40	24	33	24	32	315	
FX107S.2219	22	19	27	44	28	37	27	36	160	
FX107S.2824	28	24	32	47	31	42	36	41	160	
FX107S.3530	35	30	40	56	35	49	41	50	160	
FX107S.4236	42	36	46	63	40	57	50	60	160	
FX107S.64	6	4	11	31	16	23	12	17	630	S
FX107S.85	8	5	13	32	17	24	14	19	630	
FX107S.107	10	7	15	34	18	25	17	22	630	
FX107S.128	12	8	17	38	22	29	17	24	630	
FX107S.1410	14	10	19	40	22	30	19	27	630	
FX107S.1612	16	12	21	43	25	33	24	30	400	
FX107S.2016	20	16	26	48	27	37	27	36	400	
FX107S.2520	25	20	31	54	30	42	36	46	400	
FX107S.3025	30	25	36	62	36	49	41	50	400	
FX107S.3832	38	32	44	72	41	57	50	60	315	


UNIÃO FÊMEA PARALELA

Código	D1 x T	D2	D3	L1	L2	L3	S1	S2	PN	Série
FX101.016	6 x 1/8"	4	4	34	19	11	14	14	315	L
FX101.026	6 x 1/4"	4	4	39	24	18	19	14	315	
FX101.028	8 x 1/4"	6	6	39	24	18	19	17	315	
FX101.038	8 x 3/8"	6	6	39	24	16	24	17	315	
FX101.048	8 x 1/2"	6	6	44	29	20	27	17	315	
FX101.0210	10 x 1/4"	8	8	40	25	18	19	19	315	
FX101.0310	10 x 3/8"	8	8	40	25	16	24	19	315	
FX101.0410	10 x 1/2"	8	8	45	30	20	27	19	315	
FX101.0312	12 x 3/8"	10	10	41	26	16	24	22	315	
FX101.0412	12 x 1/2"	10	10	45	30	20	27	22	315	
FX101.0415	15 x 1/2"	12	12	46	31	20	27	27	315	
FX101.0318	18 x 3/8"	15	15	47	30,5	20	27	32	315	
FX101.0418	18 x 1/2"	15	10	44	27,5	16	27	32	315	
FX101.0522	22 x 3/4"	19	19	52	35,5	22	36	36	160	
FX101.0628	28 x 1"	24	24	55	38,5	24	41	41	160	
FX101.0735	35 x 1 1/4"	30	30	63	42	28	55	50	160	
FX101.0842	42 x 1 1/2"	36	36	65	43	30	60	60	160	
FX101.026	6 x 1/4"	4	4	41	26	18	19	17	400	S
FX101.028	8 x 1/4"	5	5	41	26	18	19	17	400	
FX101.0310	10 x 3/8"	7	7	43	26,5	16	24	22	400	
FX101.0312	12 x 3/8"	8	8	43	26,5	17	24	24	400	
FX101.0412	12 x 1/2"	8	8	47	30,5	20	27	24	400	
FX101.0414	14 x 1/2"	10	10	50	32	20	30	27	400	
FX101.0416	16 x 1/2"	12	12	50	31,5	20	27	30	400	
FX101.0520	20 x 3/4"	16	16	52	34,5	22	36	36	315	
FX101.0625	25 x 1"	20	20	62	37,5	25	41	46	315	
FX101.0730	30 x 1 1/4"	25	25	69	42	27	55	50	315	
FX101.0838	38 x 1 1/2"	32	32	74	43,5	30	60	60	250	



ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_



UNIÃO DE REDUÇÃO ADAPTÁVEL


Código	D1	D2	D3	L1	L2	S1	S2	S3	PN	Série
FX137.86	8	6	4	41	26,5	12	17	14	315	L
FX137.106	10	6	4	42	27,5	12	19	14	315	
FX137.108	10	8	6	43	28,5	14	19	17	315	
FX137.126	12	6	4	44	29,5	14	22	14	315	
FX137.128	12	8	6	44	29,5	14	22	17	315	
FX137.1210	12	10	8	45	30,5	17	22	19	315	
FX137.156	15	6	4	45	30	17	27	14	315	
FX137.158	15	8	6	45	30	17	27	17	315	
FX137.1510	15	10	8	46	31	17	27	19	315	
FX137.1512	15	12	10	47	32	19	27	22	315	
FX137.186	18	6	4	45	30,5	19	32	14	315	
FX137.188	18	8	6	45	30,5	19	32	17	315	
FX137.1810	18	10	8	46	31,5	19	32	19	315	
FX137.1812	18	12	10	46	31,5	19	32	22	315	
FX137.1815	18	15	12	48	32,5	24	32	27	315	
FX137.226	22	6	4	46	31,5	24	36	14	160	
FX137.228	22	8	6	46	31,5	24	36	17	160	
FX137.2210	22	10	8	47	32,5	24	36	19	160	
FX137.2212	22	12	10	47	32,5	24	36	22	160	
FX137.2215	22	15	12	49	33,5	24	36	27	160	
FX137.2218	22	18	15	50	34	27	36	32	160	
FX137.286	28	6	4	49	34	30	41	14	160	
FX137.288	28	8	6	49	34	30	41	17	160	
FX137.2810	28	10	8	50	35	30	41	19	160	
FX137.2812	28	12	10	50	35	30	41	22	160	
FX137.2815	28	15	12	51	36	30	41	27	160	
FX137.2818	28	18	15	52	35,5	30	41	32	160	
FX137.2822	28	22	19	54	37,5	32	41	36	160	
FX137.356	35	6	4	56	41,5	36	50	14	160	
FX137.358	35	8	6	56	41,5	36	50	17	160	
FX137.3510	35	10	8	57	42,5	36	50	19	160	
FX137.3512	35	12	10	57	42,5	36	50	22	160	
FX137.3515	35	15	12	59	43,5	36	50	27	160	
FX137.3518	35	18	15	59	43	36	50	32	160	
FX137.3522	35	22	19	61	45	41	50	36	160	
FX137.3528	35	28	24	62	45	46	50	41	160	
FX137.4210	42	10	8	60	45,5	46	60	19	160	
FX137.4212	42	12	10	60	45,5	46	60	22	160	
FX137.4215	42	15	12	62	46,5	46	60	27	160	
FX137.4218	42	18	15	62	46	46	60	32	160	
FX137.4222	42	22	19	64	48	46	60	36	160	
FX137.4228	42	28	24	65	48	46	60	41	160	
FX137.4235	42	35	30	69	47	46	60	50	160	
FX137.86	8	6	4	44	29,5	14	19	17	630	S
FX137.106	10	6	4	46	31,5	14	22	17	630	
FX137.108	10	8	5	46	31,5	17	22	19	630	
FX137.126	12	6	4	46	31,5	14	24	17	630	
FX137.128	12	8	5	46	31,5	17	24	19	630	
FX137.1210	12	10	7	48	32	19	24	22	630	
FX137.146	14	6	4	48	33,5	17	27	17	630	

continua...

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_

continuação...





UNIÃO DE REDUÇÃO ADAPTÁVEL

Código	D1	D2	D3	L1	L2	S1	S2	S3	PN	Série
FX137.148	14	8	5	48	33,5	17	27	19	630	S
FX137.1410	14	10	7	50	34	19	27	22	630	
FX137.1412	14	12	8	50	34	22	27	24	630	
FX137.166	16	6	4	49	34	17	30	17	400	
FX137.168	16	8	5	49	34	17	30	19	400	
FX137.1610	16	10	7	51	34,5	19	30	22	400	
FX137.1612	16	12	8	51	34,5	22	30	24	400	
FX137.1614	16	14	10	54	36	24	30	27	400	
FX137.206	20	6	4	54	39	22	36	17	400	
FX137.208	20	8	5	54	39	22	36	19	400	
FX137.2010	20	10	7	55	38,5	22	36	22	400	
FX137.2012	20	12	8	55	38,5	22	36	24	400	
FX137.2014	20	14	10	58	40	24	36	27	400	
FX137.2016	20	16	12	59	40,5	27	36	30	400	
FX137.256	25	6	4	58	43,5	27	46	17	400	
FX137.258	25	8	5	58	43,5	27	46	19	400	
FX137.2510	25	10	7	59	43	27	46	22	400	
FX137.2512	25	12	8	59	43	27	46	24	400	
FX137.2514	25	14	10	62	44,5	27	46	27	400	
FX137.2516	25	16	12	62	44	27	46	30	400	
FX137.2520	25	20	16	66	44	32	46	36	400	
FX137.306	30	6	4	61	46	32	50	17	400	
FX137.308	30	8	5	61	46	32	50	19	400	
FX137.3010	30	10	7	62	45,5	32	50	22	400	
FX137.3012	30	12	8	62	45,5	32	50	24	400	
FX137.3014	30	14	10	65	47	32	50	27	400	
FX137.3016	30	16	12	65	46,5	32	50	30	400	
FX137.3020	30	20	16	68	46,5	32	50	36	400	
FX137.3025	30	25	20	72	48	41	50	46	315	
FX137.386	38	6	4	68	53	41	60	17	315	
FX137.388	38	8	5	68	53	41	60	19	315	
FX137.3810	38	10	7	69	52,5	41	60	22	315	
FX137.3812	38	12	8	69	52,5	41	60	24	315	
FX137.3814	38	14	10	72	54	41	60	27	315	
FX137.3816	38	16	12	72	53,5	41	60	30	315	
FX137.3820	38	20	16	75	53,5	41	60	36	315	
FX137.3825	38	25	20	78	54	41	60	46	315	
FX137.3830	38	30	25	82	55,5	46	60	50	315	

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_




UNIÃO DE REDUÇÃO

Código	D1	D2	D3	L1	L2	S1	S2	S3	PN	Série
FX103.86	8	6	4	40	11	14	14	17	315	L
FX103.106	10	6	4	41	12	17	14	19	315	
FX103.108	10	8	6	41	12	17	17	19	315	
FX103.126	12	6	4	42	13	19	14	22	315	
FX103.128	12	8	6	42	13	19	17	22	315	
FX103.1210	12	10	8	43	14	19	19	22	315	
FX103.1510	15	10	8	45	15	24	19	27	315	
FX103.1512	15	12	10	45	15	24	22	27	315	
FX103.1810	18	10	8	46	15,5	27	19	32	315	
FX103.1812	18	12	10	46	15,5	27	22	32	315	
FX103.1815	18	15	12	48	16,5	27	27	32	315	
FX103.2212	22	12	10	48	17,5	32	22	36	160	
FX103.2215	22	15	12	50	18,5	32	27	36	160	
FX103.2218	22	18	15	50	18	32	32	36	160	
FX103.2818	28	18	15	52	19	41	32	41	160	
FX103.2822	28	22	19	54	21	41	36	41	160	
FX103.3522	35	22	19	59	21	46	36	50	160	
FX103.3528	35	28	24	59	21	46	41	50	160	
FX103.4235	42	35	30	66	21,5	55	50	60	160	
FX103.86	8	6	4	47	18	17	17	19	630	S
FX103.106	10	6	4	48	17,5	19	17	22	630	
FX103.108	10	8	5	48	17,5	19	19	22	630	
FX103.126	12	6	4	50	19,5	22	17	24	630	
FX103.128	12	8	5	50	19,5	22	19	24	630	
FX103.1210	12	10	7	51	19	22	22	24	630	
FX103.1410	14	10	7	54	20,5	24	22	27	630	
FX103.1412	14	12	8	54	20,5	24	24	27	630	
FX103.1610	16	10	7	54	20	27	22	30	400	
FX103.1612	16	12	8	54	20	27	24	30	400	
FX103.1614	16	14	10	57	21,5	27	27	30	400	
FX103.2010	20	10	7	60	22	32	22	36	400	
FX103.2012	20	12	8	60	22	32	24	36	400	
FX103.2016	20	16	12	63	23	32	30	36	400	
FX103.2516	25	16	12	68	25,5	41	30	46	400	
FX103.2520	25	20	16	71	25,5	41	36	46	400	
FX103.3020	30	20	16	74	26	46	36	50	400	
FX103.3025	30	25	20	77	26,5	46	46	50	400	
FX103.3830	38	30	25	87	29,5	55	50	60	315	

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_




TÊ DE REDUÇÃO													Série
Código	D1	D2	D3	L1	L2	L3	L4	S1	S2	S3	S4	PN	
FX117.68	6	8	6	58	28	14	29	14	17	14	14	315	L
FX117A.610	6	10	6	60	30	15	30	14	19	14	17	315	
FX115.86	8	6	8	58	28	14	29	17	14	17	14	315	
FX117A.810	8	10	8	60	30	15	30	17	19	17	17	315	
FX117A.812	8	12	8	64	34	17	32	17	22	17	17	315	
FX115.106	10	6	10	60	30	15	30	19	14	19	17	315	
FX115.108	10	8	10	60	30	17	30	19	17	19	17	315	
FX116.106	10	10	6	60	42	21	30	19	19	14	17	315	
FX117A.1012	10	12	10	64	42	17	32	19	22	19	17	315	
FX117A.1015	10	15	10	72	34	17	36	19	27	19	19	315	
FX115.126	12	6	12	64	34	17	32	22	14	22	17	315	
FX117.128	12	8	8	64	34	17	32	22	14	14	17	315	
FX115.1218	12	8	12	64	34	17	32	22	17	22	17	315	
FX117.1210	12	10	10	64	34	17	32	22	19	19	17	315	
FX115.1210	12	10	12	64	34	17	32	22	19	22	17	315	
FX116.128	12	12	8	64	34	17	32	22	22	17	17	315	
FX116.1210	12	12	10	64	34	21	32	22	22	19	17	315	
FX117A.1215	12	15	12	72	42	24	36	22	27	22	19	315	
FX117A.1218	12	18	12	78	48	21	40	22	32	22	24	315	
FX115.156	15	6	15	72	42	21	36	27	14	27	19	315	
FX115.158	15	8	15	72	42	21	36	27	17	27	19	315	
FX115.1510	15	10	15	72	42	21	36	27	19	27	19	315	
FX117.1512	15	12	12	72	42	21	36	27	22	22	19	315	
FX115.1512	15	12	15	72	42	21	36	27	22	27	19	315	
FX116158.	15	15	8	72	42	21	36	27	27	17	19	315	
FX116.1510	15	15	10	72	42	21	36	27	27	19	19	315	
FX116.1512	15	15	12	72	42	21	36	27	27	22	19	315	
FX117A.1518	15	18	15	88	48	23,5	40	27	32	27	24	315	
FX115.188	18	8	18	80	47	24	39	32	17	32	24	315	
FX117.1810	18	10	10	79	47,5	24	39	32	19	19	24	315	
FX115.1810	18	10	18	80	47	24	39	32	19	32	24	315	
FX115.1812	18	12	18	80	47	24	39	32	22	32	24	315	
FX117.1812	18	12	12	80	48	24	39	32	22	22	24	315	
FX117.1815	18	15	15	87	48	24	39	32	27	27	24	315	
FX115.1815	18	15	18	80	47	24	39	32	27	32	24	315	
FX116.1810	18	18	10	79	47,5	23,5	40	32	32	19	24	315	
FX116.1812	18	18	12	80	48	24	40	32	32	22	24	315	
FX117A.1822	18	22	18	80	47	27,5	44	32	36	32	27	315	
FX115.228	22	8	22	88	56	28	43	36	17	36	27	160	
FX115.2210	22	10	22	88	56	28	43	36	19	36	27	160	
FX115.2212	22	12	22	88	56	28	43	36	22	36	27	160	
FX117.2215	22	15	15	87	95,5	28	43	36	27	27	27	160	
FX115.2215	22	15	22	88	55	28	43	36	27	36	27	160	
FX117.2218	22	18	18	88	55	27,5	44	36	32	32	27	160	
FX115.2218	22	18	22	88	55	27,5	44	36	32	36	27	160	
FX116.2210	22	22	10	87	55	27,5	44	36	36	19	27	160	
FX116.2212	22	22	12	87	55	27,5	44	36	36	22	27	160	

continua...

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_

continuação...



TÊ DE REDUÇÃO


Código	D1	D2	D3	L1	L2	L3	L4	S1	S2	S3	S4	PN	Série
FX116.2218	22	22	18	88	55	27,5	44	36	36	32	27	160	L
FX117A.2228	22	28	22	92	61	30,5	47	36	41	36	36	160	
FX115.2810	28	10	28	94	61	31	46	41	19	41	36	160	
FX115.2812	28	12	28	94	61	31	46	41	22	41	36	160	
FX115.2815	28	15	28	94	61	31	46	41	27	41	36	160	
FX117.2818	28	18	18	94	61	30,5	47	41	32	32	36	160	
FX115.2818	28	18	28	94	61	30,5	47	41	32	31	36	160	
FX117.2822	28	22	22	94	61	30,5	47	41	36	36	36	160	
FX115.2822	28	22	28	94	61	30,5	47	41	36	31	36	160	
FX116.2818	28	28	18	94	61	30,5	47,5	41	31	32	36	160	
FX116.2822	28	28	22	94	61	30,5	47,5	41	31	36	36	160	
FX117A.2835	28	35	28	94	61	-	-	41	50	41	41	160	
FX115.3510	35	10	35	112	34,5	38	53	50	19	50	41	160	
FX115.3512	35	12	35	112	34,5	38	53	50	22	50	41	160	
FX115.3515	35	15	35	112	34,5	-	-	50	27	50	41	160	
FX115.3518	35	18	35	112	34,5	37,5	53,5	50	32	50	41	160	
FX115.3522	35	22	35	112	34,5	37,5	53,5	50	36	50	41	160	
FX115.3528	35	28	35	112	34,5	37,5	54,5	50	41	50	41	160	
FX116.3515	35	35	15	112	34,5	-	-	50	50	27	41	160	
FX117A.3542	35	42	35	112	34,5	40	-	50	60	50	50	160	
FX115.4212	42	12	42	126	80	44	59	60	22	60	50	160	
FX115.4215	42	15	42	126	80	-	-	60	27	60	50	160	
FX115.4218	42	18	42	126	80	43,5	60	60	32	60	50	160	
FX115.4222	42	22	42	126	80	43,5	60	60	36	60	50	160	
FX115.4228	42	28	42	126	80	43,5	60,5	60	41	60	50	160	
FX115.4235	42	35	42	126	80	-	-	60	50	60	50	160	
FX115.86	8	6	8	64	34	-	-	19	17	19	14	630	S
FX115.106	10	6	10	68	35	18	33	22	17	22	17	630	
FX115.108	10	8	10	68	35	-	-	22	19	22	17	630	
FX115.126	12	6	12	76	43	22	37	24	17	24	17	630	
FX117.128	12	8	8	76	43	22	37	24	19	19	17	630	
FX115.128	12	8	12	76	43	22	37	24	19	24	17	630	
FX115.1210	12	10	12	76	43	21,5	38	24	22	24	17	630	
FX117A.1216	12	16	12	76	43	24,5	43	24	30	24	24	630	
FX115.148	14	8	14	80	44	-	-	27	19	27	19	630	
FX115.1410	14	10	14	80	44	22,5	39	27	22	27	19	630	
FX115.166	16	6	16	86	49	26	41	30	17	30	24	400	
FX115.168	16	8	16	86	49	26	41	30	19	30	24	400	
FX115.1610	16	10	16	86	49	25,5	42	30	22	30	24	400	
FX115.1612	16	12	16	86	49	25,5	42	30	24	30	24	400	
FX115.1614	16	14	16	86	49	-	-	30	27	30	24	400	
FX117A.1620	16	20	16	86	49	26,5	48	30	36	30	27	400	
FX115.208	20	8	20	96	53	-	-	36	19	36	27	400	
FX115.2012	20	10	20	96	53	29,5	46	36	22	36	27	400	
FX115.2012	20	12	20	96	53	29,5	46	36	24	36	27	400	
FX115.2014	20	14	20	96	53	28	46	36	27	36	27	400	
FX115.2016	20	16	20	96	53	28,5	47	36	30	36	27	400	
FX117A.2025	20	25	20	96	53	30	54	36	46	36	36	400	
FX115.2510	25	10	25	108	60	-	-	46	22	46	36	400	

continua...

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_

continuação...




TÊ DE REDUÇÃO													
Código	D1	D2	D3	L1	L2	L3	L4	S1	S2	S3	S4	PN	Série
FX115.2512	25	12	25	108	60	34,5	50,5	46	24	46	36	400	S
FX115.2514	25	14	25	108	60	-	-	46	27	46	36	400	
FX115.2516	25	16	25	108	60	33,5	52	46	30	46	36	400	
FX115.2520	25	20	25	108	60	31,5	53	46	36	46	36	400	
FX117A.2530	25	30	25	108	60	35,5	62	46	50	46	41	400	
FX115.3012	30	12	30	124	71	41,5	57,5	50	24	50	41	400	
FX115.3016	30	16	30	124	71	40,5	59	50	30	50	41	400	
FX115.3020	30	20	30	124	71	38,5	60	50	36	50	41	400	
FX115.3025	30	25	30	124	71	37	61	50	46	50	41	400	
FX117A.3038	30	38	30	124	71	41	-	50	60	50	50	400	
FX115.3816	38	16	38	144	82	48,5	66,5	60	30	60	50	315	
FX115.3820	38	20	38	144	82	46,5	68	60	36	60	50	315	
FX115.3825	38	25	38	144	82	45	69	60	46	60	50	315	
FX115.3830	38	30	38	144	82	-	-	60	50	60	50	315	

FX115.Tê redução ao centro

FX116.Tê redução num extremo

FX117.Tê redução ao centro e extremo


FX117A. Tê aumentado centro




PORCA DE REDUÇÃO-F241						
Código	T1 x T2	L1	L2	i	S1	PN
FX241.0201	1/4" x 1/8"	29	12	12	19	400
FX241.0301	3/8" x 1/8"	22,5	8	12	22	400
FX241.0302	3/8" x 1/4"	26,5	12	12	22	400
FX241.0401	1/2" x 1/8"	24	8	14	27	400
FX241.0402	1/2" x 1/4"	24	12	14	27	400
FX241.0403	1/2" x 3/8"	37	17	14	27	400
FX241.0502	3/4" x 1/4"	26	12	16	32	315
FX241.0503	3/4" x 3/8"	26	12	16	32	315
FX241.0504	3/4" x 1/2"	43	20	16	32	315
FX241.0602	1" x 1/4"	29	12	18	41	315
FX241.0603	1" x 3/8"	29	12	18	41	315
FX241.0604	1" x 1/2"	29	14	18	41	315
FX241.0605	1" x 3/4"	38	16	18	41	315
FX241.0704	1 1/4" x 1/2"	32	14	20	50	315
FX241.0705	1 1/4" x 3/4"	32	16	20	50	315
FX241.0706	1 1/4" x 1"	52	25	20	50	315
FX241.0804	1 1/2" x 1/2"	36	14	22	55	250
FX241.0805	1 1/2" x 3/4"	36	16	22	55	250
FX241.0806	1 1/2" x 1"	36	18	22	55	250
FX241.0807	1 1/2" x 1 1/4"	58	27	22	55	250
FX241.090	2" x 1 1/4"	63	27	24	70	160
FX241.0908	2" x 1 1/2"	63	29	24	75	160

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_




TAMPÃO PARA TUBO							
Código	D1	L1	L2	S1	S2	PN	Série
FX300.6	6	22	7,0	12	14	315	L
FX300.8	8	23	8,0	14	17	315	
FX300.10	10	24	9,0	17	19	315	
FX300.12	12	25	10,0	19	22	315	
FX300.15	15	26	11,0	24	27	315	
FX300.18	18	28	11,5	27	32	315	
FX300.22	22	30	13,5	32	36	160	
FX300.28	28	31	14,5	41	41	160	
FX300.35	35	36	14,5	46	50	160	
FX300.42	42	39	16,0	55	60	160	
FX300.6	6	26	11,0	14	17	630	S
FX300.8	8	28	13,0	17	19	630	
FX300.10	10	29	12,5	19	22	630	
FX300.12	12	31	14,5	22	24	630	
FX300.14	14	34	16,0	24	27	630	
FX300.16	16	34	15,5	27	30	400	
FX300.20	20	39	17,5	32	36	400	
FX300.25	25	44	20,0	41	46	400	
FX300.30	30	47	20,5	46	50	400	
FX300.38	38	54	23,0	55	60	315	



ANEL TEMPERADO				
Código	D1	L1	PN	Série
FX110.6	6	9,5	315	L
FX110.8	8	9	315	
FX110.10	10	9,5	315	
FX110.12	12	10	315	
FX110.15	15	9,5	315	
FX110.18	18	9,5	315	
FX110.22	22	10,5	160	
FX110.28	28	11	160	
FX110.35	35	13,5	160	
FX110.42	42	13,5	160	
FX110.6	6	9,5	630	S
FX110.8	8	9	630	
FX110.10	10	9,5	630	
FX110.12	12	10	630	
FX110.14	14	10	630	
FX110.16	16	9,5	400	
FX110.20	20	13	400	
FX110.25	25	12,5	400	
FX110.30	30	12,5	400	
FX110.38	38	13,5	315	


ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_



PORCA DIN 3870 PARA ANEL

Código	D1	T	L1	S1	PN	Série
FX111.6	6	M12 x 1,5	15	14	315	L
FX111.8	8	M14 x 1,5	15	17	315	
FX111.10	10	M16 x 1,5	16	19	315	
FX111.12	12	M18 x 1,5	16	22	315	
FX111.15	15	M22 x 1,5	17	27	315	
FX111.18	18	M26 x 1,5	18	32	315	
FX111.22	22	M36 x 2	20	36	160	
FX111.28	28	M36 x 2	21	41	160	
FX111.35	35	M45 x 2	24	50	160	
FX111.42	42	M52 x 2	24	60	160	
FX111.6	6	M14 x 1,5	17	17	630	S
FX111.8	8	M16 x 1,5	17	19	630	
FX111.10	10	M18 x 1,5	18	22	630	
FX111.12	12	M20 x 1,5	18	24	630	
FX111.14	14	M22 x 1,5	21	27	630	
FX111.16	16	M24 x 1,5	21	30	400	
FX111.20	20	M30 x 2	24	36	400	
FX111.25	25	M36 x 2	27	46	400	
FX111.30	30	M42 x 2	29	50	400	
FX111.38	38	M52 x 2	33	60	315	




VÁLVULA ANTI-RETORNO TUBO - TUBO

Código	D1	L1	L2	S1	S2	S3	PN	Série
FXVAR.6	6	64	29	17,0	17	14	315	L
FXVAR.8	8	64	30	17,0	19	17	315	
FXVAR.10	10	75	40,5	22,0	24	19	315	
FXVAR.12	12	79	43,5	27,0	30	22	315	
FXVAR.15	15	83	47,5	27,0	30	27	315	
FXVAR.18	18	89	51,5	36,0	36	32	160	
FXVAR.22	22	102	61,5	41,0	46	36	160	
FXVAR.28	28	114	71,5	50,0	55	41	100	
FXVAR.35	35	123	68,5	60,0	60	50	100	
FXVAR.42	42	139	83	80,0	90	60	100	
FXVAR.6	6	69	34,5	19,0	19	17	400	S
FXVAR.8	8	68	40,5	19,0	22	19	400	
FXVAR.10	10	78	40,5	24,0	27	22	400	
FXVAR.12	12	81	42,5	27,0	30	24	400	
FXVAR.14	14	89	48	27,0	32	27	315	
FXVAR.16	16	93	50,5	32,0	36	30	315	
FXVAR.20	20	106	54,5	41,0	46	36	250	
FXVAR.25	25	114	58,5	46,0	50	46	250	
FXVAR.30	30	131	69,5	55,0	60	50	250	
FXVAR.38	38	147	75	65,0	70	60	250	

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_




VÁLVULA ANTI-RETORNO FÊMEA

Código	T	D1	L1	S1	S2	PN	Série
FXVARF.01	1/8"	19	43,0	19	19	400	L
FXVARF.02	1/4"	19	51,0	19	19	400	
FXVARF.03	3/8"	24	60,0	24	27	400	
FXVARF.04	1/2"	32	71,0	32	36	315	
FXVARF.05	3/4"	41	84,0	41	46	250	
FXVARF.06	1"	46	95,0	46	50	250	
FXVARF.07	1 1/4"	55	110,0	55	60	250	
FXVARF.08	1 1/2"	65	114,0	65	70	250	




VÁLVULA DE AGULHA

Código	Ø INT.	G	A	L	H	PN
FXVAIR.01	1/8"	1/8"	29	58	75	400
FXVAIR.02	1/4"	1/4"	29	58	75	400
FXVAIR.03	3/8"	3/8"	29	58	75	400
FXVAIR.04	1/2"	1/2"	32	65	75	400
FXVAIR.05	3/4"	3/4"	35	70	75	400
FXVAIR.06	1"	1"	40	80	75	400



LIGAÇÃO RÁPIDA MACHO / FÊMEA

Código	Ø A	B	C	D	L	SW1	SW2	PN
	1/8"	31,0	50	24	62	14	14	300
	1/4"	36,0	57	28	72	19	19	300
	3/8"	39,0	64	35	78	24	24	250
	1/2"	45,5	73	42	91	27	27	250
	3/4"	53,5	87	51,5	107	36	36	250
	1"	63,0	102	60	125	41	41	250




MACHO

Código	
	1/8"
	1/4"
	3/8"
	1/2"
	3/4"
	1"

FÊMEA

Código	
	1/8"
	1/4"
	3/8"
	1/2"
	3/4"
	1"





ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_



VÁLVULA DE ESFERA 1 CORPO PN 350-500 (TEMPERATURA 250° C)


Código	Dimensões	PN	N.º	Descrição	Material
FXVBM.02	1/4"	-	01	Corpo	AISI 316 L
FXVBM.03	3/8"	500	02	Racord	AISI 316 L
FXVBM.04	1/2"	500	03	Bola	AISI 316 L
FXVBM.05	3/4"	400	04	Eixo	AISI 316 L
FXVBM.06	1"	350	05	Parafuso	AISI 316 L
FXVBM.07	1 1/4"	350	06	Anilha	AISI 316 L
FXVBM.08	1 1/2"	350	07	Porca	AISI 316 L
FXVBM.09	2"	350	08	Muleta	AISI 316 L
FXVBM.10	2 1/2"	-	09	Anilha	AISI 316 L
FXVBM.11	3"	-	10	Junta do eixo	POM
FXVBM.12	4"	-	11	Junta racord	POM



TIPO	DN	A	B	C	E	ØG	L	M	N	O	P	SW	PN
GM 1/4"	6	73	44	23,5	63	47	110	100	11	14	22	9	S800
GM 3/8"	10	73	44	23,5	63	47	110	100	11	14	22	9	S800
GM 1/2"	13	82	48	26,5	69	53	110	106	11	14	22	9	S800
GM 3/4"	20	98	62	31,5	85,5	63	180	114	14	18	29,5	14	S800
GM 1"	25	107	66	36,5	95,5	73	180	124	14	18	29,5	14	S800
GM 1 1/4"	32	128	83	42	106,5	84	180	135	14	18	29,5	14	S800
GM 1 1/2"	40	136	89	49,5	121,5	99	180	150	14	18	29,5	14	S800
GM 2"	50	161	101	52	126,5	104	180	155	14	18	29,5	14	S800
GM 2 1/2"	65	177	105	70	219	150	600	-	-	27	-	16	S800
GM 3"	80	194	114	77,5	235,5	167	600	-	-	27	-	16	S800
GM 4"	100	232	148	100	270	200	600	-	-	27	-	19	S800


ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_



CASQUILHO DE REFORÇO

Código	Ø INT.	D1	D2	L1
FXCRF.4x3,8	4	3,8	14	14
FXCRF.5x4,3	5	4,3	14	14
FXCRF.5x4,8	5	4,8	14	14
FXCRF.6x5,8	6	5,8	14	14
FXCRF.7x6,3	7	6,3	14	14
FXCRF.7x6,8	7	6,8	16	15,5
FXCRF.8x7,8	8	7,8	16	15,5
FXCRF.9x8,8	9	8,8	16	15,5
FXCRF.10x9,8	10	9,8	16	15,5
FXCRF.11x10,3	11	10,3	16	15,5
FXCRF.11x10,8	11	10,8	16	15,5
FXCRF.12x11,8	12	11,8	17	17
FXCRF.13x12,8	13	12,8	17	17
FXCRF.14x13,8	14	13,8	17	17
FXCRF.15x14,8	15	14,8	20	20
FXCRF.16x15,8	16	15,8	20	20
FXCRF.17x16,8	17	16,8	20	20
FXCRF.18x17,8	18	17,8	20	20
FXCRF.19x18,8	19	18,8	16	16
FXCRF.20x19,8	20	19,8	22	21,5
FXCRF.21x20,8	21	20,8	22	21,5
FXCRF.22x21,8	22	21,8	24	23,5
FXCRF.23x22,8	23	22,8	24	23,5
FXCRF.24x23,8	24	23,8	24	23,5
FXCRF.25x24,8	25	24,8	24	23,5
FXCRF.26x25,8	26	25,8	24	23,5
FXCRF.27x26,8	27	26,8	24	23,5
FXCRF.30x29,8	30	29,8	27	26,5
FXCRF.31x30,8	31	30,8	27	26,5
FXCRF.32x31,8	32	31,8	27	26,5
FXCRF.33x32,8	33	32,8	27	26,5
FXCRF.34x33,8	34	33,8	27	26,5
FXCRF.38x37,8	38	37,8	21	21
FXCRF.39x38,8	39	38,8	21	21




TAMPÃO MACHO - F290

Código	T	D1	L1	i	S1	PN
FX290.01	1/8"	14,0	12	5	5	400
FX290.02	1/4"	18,0	17	12	6	400
FX290.03	3/8"	22,0	17	12	8	400
FX290.04	1/2"	26,0	19	14	10	400
FX290.05	3/4"	31,9	21	14	12	400
FX290.06	1"	39,0	22,5	16	17	400
FX290.07	1 1/4"	49,0	22,5	16	22	315
FX290.08	1 1/2"	54,9	22,5	16	24	315

ACESSÓRIOS DE COMPRESSÃO (AÇO INOXIDÁVEL AISI 316)_

(COMPRESSION FITTINGS IN STAINLESS STEEL AISI 316)_



TAMPÃO COM PORCA PARA CONE 24°

Código	D1	L1	S1	PN	Série
FX300C.6	6	17,5	14	315	L
FX300C.8	8	18,5	17	315	
FX300C.10	10	19,0	19	315	
FX300C.12	12	19,0	22	315	
FX300C.15	15	19,5	27	315	
FX300C.18	18	20,0	32	315	
FX300C.22	22	20,5	36	160	
FX300C.28	28	21,5	41	160	
FX300C.35	35	23,5	50	160	
FX300C.42	42	23,5	60	160	
FX300C.6	6	17,5	17	630	S
FX300C.8	8	18,5	19	630	
FX300C.10	10	19,0	22	630	
FX300C.12	12	19,0	24	630	
FX300C.14	14	20,0	27	630	
FX300C.16	16	20,0	30	400	
FX300C.20	20	24,0	36	400	
FX300C.25	25	25,0	46	400	
FX300C.30	30	26,5	50	400	
FX300C.38	38	28,5	60	315	